

## References

- [1] G. E. Andrews, *The Theory of Partitions*, Addison-Wesley, Reading, 1976.
- [2] P. Baldi, On a generalized family of colorings, *Graphs Combin.*, 6 (1990), 95–110.
- [3] Zs. Baranyai, On the factorization of the complete uniform hypergraph, *Infinite and finite sets (Colloq., Keszthely, 1973; dedicated to P. Erdős on his 60th birthday)*, Vol. I, *Colloq. Math. Soc. János Bolyai*, Vol. 10, North-Holland, Amsterdam, (1975), 91–108.
- [4] A. Barg, At the dawn of the theory of codes, *Mathematical Intelligencer*, 15 (1993), 20–26.
- [5] R. Bertolo, P. R. J. Östergård and W. D. Weakley, An updated table of binary/ternary mixed covering codes, *J. Combin. Des.*, 12 (2004), 157–176.
- [6] R. Bertolo, F. Di Pasquale, F. Santisi and others, Sistemi per totocalcio, totip, superenalotto, totogol, <http://www.toto1x2.it>.
- [7] M. C. Bhandari and C. Durairajan, A note on bounds for  $q$ -ary covering codes, *IEEE Trans. Inform. Theory*, 42 (1996), 1640–1642.
- [8] J. Bierbrauer and J. Fridrich: Constructing good covering codes for applications in steganography, to appear.
- [9] D. Billington, Lattices and degree sequences of uniform hypergraphs, *Ars Combin.*, 21A (1986), 9–19.
- [10] U. Blass and S. Litsyn, Several new lower bounds on the size of codes with covering radius one, *IEEE Trans. Inform. Theory*, 44 (1998), 1998–2002.
- [11] U. Blass and S. Litsyn, Several new lower bounds for football pool systems, *Ars Combinatoria*, 50 (1998), 297–302.
- [12] U. Blass and S. Litsyn, The smallest covering code of length 8 and radius 2 has 12 words, *Ars Combin.*, 52 (1999), 309–318.
- [13] A. Blokhuis and C. W. H. Lam, More coverings by rook domains, *J. Combin. Theory Ser. A*, 36 (1984), 240–244.
- [14] B. Bollobás, Sperner systems consisting of pairs of complementary subsets, *J. Combin. Theory Ser. A*, 15 (1973), 363–366.
- [15] R. C. Bose, S. S. Shrikhande and E. T. Parker, Further results on the construction of mutually orthogonal Latin squares and the falsity of Euler’s conjecture, *Canad. J. Math.*, 12 (1960), 189–203.

- [16] A. Brace and D. E. Daykin, Sperner type theorems for finite sets, *Combinatorics (Proc. Conf. Combinatorial Math., Math. Inst., Oxford)* (D. J. A. Welsh and D. R. Woodall, Eds.), Inst. Math. Appl., Southend-on-Sea, 1972, 18–37.
- [17] J. Carlson and D. Stolarski, The correct solution to Berlekamp’s switching game, *Discrete Math.*, 287 (2004), 145–150.
- [18] M. A. Chateauneuf, C. J. Colbourn and D. L. Kreher, Covering arrays of strength three, *Des. Codes Cryptogr.*, 16 (1999), 235–242.
- [19] M. Chateauneuf and D. L. Kreher, On the state of strength-three covering arrays, *J. Combin. Des.*, 10 (2002), 217–238.
- [20] W. Chen and I. S. Honkala, Lower bounds for  $q$ -ary covering codes, *IEEE Trans. Inform. Theory*, 36 (1990), 664–671.
- [21] J. C. Cock and P. R. J. Östergård, Ternary covering codes derived from BCH codes, *J. Combin. Theory Ser. A*, 80 (1997), 283–289.
- [22] G. Cohen, I. Honkala, S. Litsyn, and A. Lobstein, *Covering Codes*, North-Holland, Amsterdam (1997).
- [23] G. D. Cohen, S. N. Litsyn, A. C. Lobstein and H. F. Mattson, Covering radius 1985-1994, *Appl. Algebra Engrg. Comm. Comput.*, 8 (1997), 173–239.
- [24] G. D. Cohen, A. C. Lobstein, and N. J. A. Sloane, Further results on the covering radius of codes, *IEEE Trans. Inform. Theory*, 32 (1986), 680–694.
- [25] G. D. Cohen, A. C. Lobstein, and N. J. A. Sloane, On a conjecture concerning coverings of Hamming space, *Applied algebra, algorithmics and error-correcting codes (Toulouse, 1984)*, Lecture Notes in Computer Science, Vol. 228, Springer-Verlag, Berlin (1986), 79-89.
- [26] C. J. Colbourn, Strength two covering arrays: existence tables and projection, *Discrete Math.*, 308 (2008), 772–786.
- [27] C. J. Colbourn, CA tables for  $t=2,3,4,5,6$ , <http://www.public.asu.edu/~ccolbou/src/tabby/catable.html>.
- [28] C. J. Colbourn and J. H. Dinitz, Mutually orthogonal Latin squares: a brief survey of constructions, *J. Statist. Plann. Inference*, 95 (2001), 9–48.
- [29] E. Dantsin, A. Goerdt, E. A. Hirsch and U. Schöning, Deterministic algorithms for  $k$ -SAT based on covering codes and local search, *Automata, languages and programming (Geneva, 2000)* Lecture Notes in Computer Science, Vol. 1853, Springer-Verlag, Berlin (2000), 236–247.
- [30] R. Davies and G. F. Royle, Graph domination, tabu search and the football pool problem, *Discrete Appl. Math.*, 74 (1997), 217–228.

- [31] I. J. Dejter and K. T. Phelps, Ternary Hamming and binary perfect covering codes. *Codes and association schemes* (A. Barg and S. Litsyn eds.), DIMACS Ser. Discrete Math. Theoret. Comput. Sci., Amer. Math. Soc., Providence, RI, 56 (2001), 111–113.
- [32] P. Delsarte and J.-M. Goethals, Unrestricted codes with the Golay parameters are unique, *Discrete Math.*, 12 (1975), 211–224.
- [33] J. Dénes and A. D. Keedwell, *Latin squares and their applications*, Academic Press, New York and London, 1974.
- [34] F. Di Pasquale and P. R. J. Östergård, An improved upper bound for the football pool problem for nine matches, *J. Combin. Theory Ser. A*, 102 (2003), 204–206.
- [35] A. Dr, On the covering radius of Reed–Solomon codes, *Discrete Math.*, 126 (1994), 99–105.
- [36] P. Erdős, C. Ko and R. Rado, Intersection theorems for systems of finite sets, *Quart. J. Math. Oxford*, 12 (1961), 313–318.
- [37] T. Etzion, G. Greenberg and I. S. Honkala, Normal and abnormal codes, *IEEE Trans. Inform. Theory*, 39 (1993), 1453–1456.
- [38] H. Fernandes and E. Rechtschaffen, The football pool problem for 7 and 8 matches, *J. Combin. Theory Ser. A*, 35 (1983), 109–114.
- [39] A. Fontaine and W. Peterson, Group code equivalence and optimum codes, *IRE Trans. Circuit Theory*, 6 (1959), 60–70.
- [40] D. Gijswijt, Matrix Algebras and Semidefinite Programming Techniques for Codes, PhD thesis, *University of Amsterdam*, (2005), 93 pp.
- [41] M. J. E. Golay, Notes on digital coding, *Proc. I.R.E. (IEEE)*, 37 (1949), 657.
- [42] S. W. Golomb and E. C. Posner, Rook domains, Latin squares, affine planes, and error-distributing codes, *IEEE Trans. Inform. Theory*, 10 (1964), 196–208.
- [43] R. L. G. Gommard and A. Plagne,  $K_5(7,3)_i=100$ , *J. Combin. Theory Ser. A*, 104 (2003), 365–370.
- [44] D. M. Gordon, La Jolla covering repository, <http://www.ccrwest.org/cover.html>.
- [45] R. L. Graham and N. J. A. Sloane, On the covering radius of codes, *IEEE Trans. Inform. Theory*, 31 (1985), 385–401.
- [46] W. Haas, Lower bounds for  $q$ -ary codes of covering radius one, *Discrete Math.*, 219 (2000), 97–106.

- [47] W. Haas, Binary and ternary codes of covering radius one: some new lower bounds, *Discrete Math.*, 256 (2002), 161–178.
- [48] W. Haas, Lower bounds for the football pool problem for 7 and 8 matches, *Electron. J. Combin.*, 14 (2007), [http://www.combinatorics.org/Volume\\_14/v14i1toc.html](http://www.combinatorics.org/Volume_14/v14i1toc.html).
- [49] W. Haas, Lower bounds for quaternary covering codes, submitted.
- [50] W. Haas, J.-C. Schlage-Puchta and J. Quistorff, Lower bounds on covering codes via partition matrices, *Journal of Combinatorial Theory (Ser. A)*, to appear.
- [51] L. Habsieger, Lower bounds for  $q$ -ary coverings by spheres of radius one, *J. Combin. Theory Ser. A*, 67 (1994), 199–222.
- [52] L. Habsieger, A new lower bound for the football pool problem for 7 matches, *J. Théor. Nombres Bordeaux*, 8 (1996), 481–484.
- [53] L. Habsieger, Some new lower bounds for ternary covering codes, *Electron. J. Combin.* (2), 3 (1996), [http://www.combinatorics.org/Volume\\_3/foatatoc.html](http://www.combinatorics.org/Volume_3/foatatoc.html).
- [54] L. Habsieger, Binary codes with covering radius one: some new lower bounds, *Discrete Math.*, 176 (1997), 115–130.
- [55] L. Habsieger and A. Plagne, New lower bounds for covering codes, *Discrete Math.*, 222 (2000), 125–149.
- [56] H. O. Hämäläinen, I. S. Honkala, M. K. Kaikkonen and S. N. Litsyn, Bounds for binary multiple covering codes, *Des. Codes Cryptogr.*, 3 (1993), 251–275.
- [57] H. Hämäläinen and S. Rankinen, Upper bounds for football pool problems and mixed covering codes, *J. Combin. Theory Ser. A*, 56 (1991), 84–95.
- [58] R. W. Hamming, Error detecting and error correcting codes, *Bell System Tech. J.*, 29 (1950), 147–160.
- [59] H. J. Helgert, Noncyclic generalizations of BCH and Srivastava codes, *Information and Control*, 21 (1972), 280–290.
- [60] J. W. P. Hirschfeld, *Projective Geometries over Finite Fields*, 2nd ed., Clarendon, Oxford (1998).
- [61] B. Hnich, S. D. Prestwich, E. Selensky and B. M. Smith, Constraint models for the covering test problem, *Constraints*, 11 (2006), 199–219.
- [62] I. S. Honkala, Lower bounds for binary covering codes, *IEEE Trans. Inform. Theory*, 34 (1988), 326–329.
- [63] I. S. Honkala, Modified bounds for covering codes, *IEEE Trans. Inform. Theory*, 37 (1991), 351–365.

- [64] I. S. Honkala, A Graham-Sloane type construction for  $s$ -surjective matrices, *J. Algebraic Combin.*, 1 (1992), 347–351.
- [65] I. S. Honkala, A new lower bound on codes with covering radius one, *Proc. Int. Symp. Information Theory and its Applications*, Sydney, Australia, 1994, Vol. 1., 39–41.
- [66] I. S. Honkala and H. O. Hämäläinen, A new construction for covering codes, *IEEE Trans. Inform. Theory*, 34 (1988), 1343–1344.
- [67] I. S. Honkala and H. O. Hämäläinen, Bounds for abnormal binary codes, *IEEE Trans. Inform. Theory*, 37 (1991), 372–375.
- [68] D. R. Hughes and F. C. Piper, *Design Theory*, Cambridge University Press, Cambridge, 1985.
- [69] K. A. Johnson and R. Entringer, Largest induced subgraphs of the  $n$ -cube that contain no 4-cycles, *J. Combin. Theory Ser. B*, 46 (1989), 346–355.
- [70] S. M. Johnson, A new lower bound for coverings by rook domains, *Utilitas Math.*, 1 (1972), 121–140.
- [71] J. G. Kalbfleisch and R. G. Stanton, A combinatorial theorem of matching, *J. London Math. Soc.* (1), 44 (1969), 60–64; and (2), 1 (1969), 398.
- [72] J. G. Kalbfleisch, R. G. Stanton and J. D. Horton, On covering sets and error-correcting codes, *J. Combin. Theory Ser. A*, 11 (1971), 233–250.
- [73] J. G. Kalbfleisch and P. H. Weiland, Some new results for the covering problem, *Recent Progress in Combinatorics (Proc. 3<sup>rd</sup> Waterloo Conf. Combinatorics, 1968)* (W. T. Tutte, ed.) Academic, New York (1969), 37–45.
- [74] H. J. L. Kamps and J. H. van Lint, The football pool problem for 5 matches, *J. Combin. Theory*, 3 (1967), 315–325.
- [75] H. J. L. Kamps and J. H. van Lint, A covering problem, *Combinatorial theory and its applications, Colloq. Math. Soc. János Bolyai*, Balatonfüred, Hungary (1969), North-Holland, Amsterdam (1970), 679–685.
- [76] P. Kaski and P. R. J. Östergård, *Classification Algorithms for Codes and Designs*, Springer, Berlin, 2006.
- [77] G. O. H. Katona, Two applications (for search theory and truth functions) of Sperner type theorems, *Period. Math. Hungar.*, 3 (1973), 19–26.
- [78] G. Kéri, Types of superregular matrices and the number of  $n$ -arcs and complete  $n$ -arcs in  $\text{PG}(r, q)$ , *Journal of Combinatorial Designs*, 14 (2006), 363–390 és 16 (2008), 262.

- [79] G. Kéri, On small covering codes in arbitrary mixed Hamming spaces, *Studia Sci. Math. Hungar.*, 44 (2007), 517–534.
- [80] G. Kéri, The covering radius of extreme binary 2-surjective codes, *Des. Codes Cryptogr.*, 46 (2008), 191–198.
- [81] G. Kéri, Tables for covering codes, <http://www.sztaki.hu/~keri/codes>.
- [82] G. Kéri, Tables for  $n$ -arcs and lists for complete  $n$ -arcs in  $PG(r, q)$ , <http://www.sztaki.hu/~keri/n-arcs>.
- [83] G. Kéri and Á. Kisvölcsy, On computing the Hamming distance, *Acta Cybernetica*, 16 (2004), 443–449.
- [84] G. Kéri and P. R. J. Östergård, On the covering radius of small codes, *Studia Sci. Math. Hungar.*, 40 (2003), 243–256.
- [85] G. Kéri and P. R. J. Östergård, Bounds for covering codes over large alphabets, *Des. Codes Cryptogr.*, 137 (2005), 45–60.
- [86] G. Kéri and P. R. J. Östergård, Further results on the covering radius of small codes, *Discrete Math.*, 307 (2007), 69–77.
- [87] G. Kéri and P. R. J. Östergård, The number of inequivalent  $(2R + 3, 7)R$  optimal covering codes, *J. Integer Seq.*, 9 (2006), Article 06.4.7 (electronic).
- [88] G. Kéri and P. R. J. Östergård, On the minimum size of binary codes with length  $2R + 4$  and covering radius  $R$ , *Des. Codes Cryptogr.*, 48 (2008), 165–169.
- [89] G. Kéri and Zs. Tuza, Balanced degree sequences of uniform hypergraphs, Note, *manuscript*.
- [90] D. J. Kleitman and J. Spencer, Families of  $k$ -independent sets, *Discrete Math.*, 6 (1973), 255–262.
- [91] E. Kolev, Codes over  $GF(3)$  of length 5, 27 codewords and covering radius 1, *J. Combin. Designs*, 1 (1993), 265–275.
- [92] E. Kolev, Lower bounds for mixed covering codes of length 5, *C. R. Acad. Bulgare Sci.*, (8) 46 (1993), 9–11.
- [93] E. Kolev, Mixed covering codes with two binary and four ternary coordinates, *Applied algebra, algebraic algorithms and error-correcting codes* Lecture Notes in Computer Science, Vol. 948, Springer-Verlag, Berlin (1995), 312–322.
- [94] E. Kolev, A  $(9, 56)_1$  binary code does not exist, *C. R. Acad. Bulgare Sci.* (11–12), 51 (1998), 25–28.
- [95] E. Kolev and R. Hill, An improved lower bound on the covering number  $K_2(9, 1)$ , *Discrete Math.*, 197–198 (1999), 483–489.

- [96] E. Kolev and I. Landgev, On some mixed covering codes of small length, *Algebraic Coding* (G. Cohen, S. Litsyn, A. Lobstein, and G. Zémor, eds.), Lecture Notes in Computer Science, Vol. 781, Springer-Verlag, Berlin (1994), 38–50.
- [97] K. U. Koschnick, A new upper bound for the football pool problem for nine matches *J. Combin. Theory Ser. A*, 62 (1993), 162–167.
- [98] P. J. M. van Laarhoven, E. H. L. Aarts, J. H. van Lint, and L. T. Wille, New upper bounds for the football pool problem for 6, 7, and 8 matches, *J. Combin. Theory Ser. A*, 52 (1989), 304–312.
- [99] W. Lang, J. Quistorff and E. Schneider, Integer programming for covering codes, *J. Combin. Math. Combin. Comput.*, 66 (2008), 279–288.
- [100] W. Lang, J. Quistorff and E. Schneider, New results on integer programming for codes, *Congr. Numer.*, 188 (2007), 97–107.
- [101] J. Lawrence, R. N. Kacker, Yu Lei, D. R. Kuhn and M. Forbes, Binary covering arrays, *Designs, Codes and Cryptography*, submitted.
- [102] D. Li and W. Chen, New lower bounds for binary covering codes, *IEEE Trans. Inform. Theory*, 40 (1994), 1122–1129.
- [103] J. Linderoth, F. Margot and G. Thain, A natural turf for high-throughput computing,  
<http://www.lehigh.edu/~jtl3/papers/tg-football.pdf>.
- [104] J. Linderoth, F. Margot and G. Thain, Improving bounds on the football pool problem via symmetry reduction and high-throughput computing, <http://wpweb2.tepper.cmu.edu/fmargot/PDF/football.pdf>.
- [105] B. Lindström, Group partitions and mixed perfect codes, *Canad. Math. Bull.*, 18 (1975), 57–60.
- [106] J. H. van Lint and G. J. M. van Wee, Generalized bounds on binary/ternary mixed packing and covering codes, *J. Combin. Theory Ser. A*, 57 (1991), 130–143.
- [107] C. Lo and Z. Zhang, New lower bounds for  $K_3(n, R)$  from linear inequalities, *Communication Sciences Institute, Electrical Engineering Systems, University of Southern California*, (1992), 15 pp.
- [108] A. C. Lobstein, Rayon de recouvrement: une bibliographie? Non, la bibliographie!, <http://www.infres.enst.fr/~lobstein/biblio.html>.
- [109] A. C. Lobstein and G. J. M. van Wee, On normal and subnormal  $q$ -ary codes, *IEEE Trans. Inform. Theory*, 35 (1989), 1291–1295; and 36 (1990), 1498.
- [110] F. J. MacWilliams and N. J. A. Sloane, *The Theory of Error-Correcting Codes*, North-Holland, Amsterdam, 1977.

- [111] E. Mattioli, Sopra una particolare proprietà dei gruppi Abeliani finiti, *Ann. Scuola Norm. Sup. Pisa* (3), 3 (1950), 59–65.
- [112] J. G. Mauldon, Covering theorems for groups, *Quart. J. of Math. (Oxford)*, (2) 1 (1950), 284–287.
- [113] P. R. J. Östergård, A new binary code of length 10 and covering radius 1, *IEEE Trans. Inform. Theory*, 37 (1991), 179–180.
- [114] P. R. J. Östergård, Upper bounds for  $q$ -ary covering codes, *IEEE Trans. Inform. Theory*, 37 (1991), 660–664; and 37 (1991), 1738.
- [115] P. R. J. Östergård, Further results on  $(k, t)$ -subnormal covering codes, *IEEE Trans. Inform. Theory*, 38 (1992), 206–210.
- [116] P. R. J. Östergård, Construction methods for mixed covering codes, *Analysis, Algebra, and Computers in Mathematical Research: Proc. 21st Nordic Congress of Mathematicians* (M. Gyllenberg and L. E. Persson, eds.), Marcel Dekker, New York (1994), 387–407.
- [117] P. R. J. Östergård, New upper bounds for the football pool problem for 11 and 12 matches, *J. Combin. Theory Ser. A*, 67 (1994), 161–168.
- [118] P. R. J. Östergård, A combinatorial proof for the football pool problem for six matches, *J. Combin. Theory Ser. A*, 76 (1996), 160–163.
- [119] P. R. J. Östergård, The football pool problem, *Congr. Numer.*, 114 (1996), 33–43.
- [120] P. R. J. Östergård, Constructing covering codes by tabu search, *J. Combin. Designs*, 5 (1997), 71–80.
- [121] P. R. J. Östergård, New constructions for  $q$ -ary covering codes, *Ars Combin.*, 52 (1999), 51–63.
- [122] P. R. J. Östergård and U. Blass, On the size of optimal binary codes of length 9 and covering radius 1, *IEEE Trans. Inform. Theory*, 47 (2001), 2556–2557.
- [123] P. R. J. Östergård and H. O. Härmäläinen, New upper bounds for binary/ternary mixed covering codes, *Helsinki University of Technology, Digital Systems Laboratory, Research Reports*, No. 22, (1993), 33 pp.
- [124] P. R. J. Östergård and H. O. Härmäläinen, A new table of binary/ternary mixed covering codes, *Des. Codes Cryptogr.*, 1 (1997), 151–178.
- [125] P. R. J. Östergård and M. K. Kaikkonen, New upper bounds for binary covering codes, *Discrete Math.*, 178 (1998), 165–179.
- [126] P. R. J. Östergård and O. Potttonen, The perfect binary one-error-correcting codes of length 15: Part I – Classification, arXiv:0806.2513v1 [cs.IT] 16 Jun 2008.

- [127] P. R. J. Östergård and A. Wassermann, A new lower bound for the football pool problem for six matches, *J. Combin. Theory Ser. A*, 99 (2002), 175–179.
- [128] P. R. J. Östergård and W. D. Weakley, Constructing covering codes with given automorphism, *Designs, Codes and Cryptography*, 16 (1999), 65–73.
- [129] P. R. J. Östergård and W. D. Weakley, Classification of binary covering codes, *J. Combin. Des.*, 8 (2000), 391–401.
- [130] P. R. J. Östergård and W. D. Weakley, Classifying optimal ternary codes of length 5 and covering radius 1, *Beiträge Algebra Geom.*, 43 (2002), 445–449.
- [131] E. T. Parker, Orthogonal Latin squares, *Proc. Natl. Acad. Sci. USA*, 45 (1959), 859–862.
- [132] A. Plagne, A remark on Haas’ method, submitted.
- [133] J. Quistorff, On codes with given minimum distance and covering radius, *Beiträge Algebra Geom.*, 42 (2001), 601–611.
- [134] J. Quistorff, Improved sphere bounds in finite metric spaces, *Bull. Inst. Combin. Appl.*, 46 (2006), 69–80.
- [135] J. Quistorff and J.-C. Schlage-Puchta, On generalized surjective codes, submitted.
- [136] A. Rényi, *Foundations of probability*, Wiley, New York, 1971.
- [137] P. P. Rivas Soriano, QuiniWin  
<http://personal.telefonica.terra.es/web/quiniweb2>.
- [138] E. R. Rodemich, Coverings by rook domains, *J. Combin. Theory*, 9 (1970), 117–128.
- [139] G. Roux,  $k$ -propriétés dans des tableaux de  $n$  colonnes: cas particulier de la  $k$ -surjectivité et de la  $k$ -permutivité, Thèse, *Université Paris*, France, (1987), 133 pp.
- [140] N. J. A. Sloane, Covering arrays and intersecting codes, *J. Combin. Designs*, 1 (1993), 51–63.
- [141] N. J. A. Sloane, The on-line encyclopedia of integer sequences,  
<http://www.research.att.com/~njas/sequences>.
- [142] S. L. Snover, The uniqueness of the Nordstrom–Robinson and the Golay binary codes, PhD thesis, *Michigan State University*, 1973.
- [143] E. Sperner, Ein Satz über Untermengen einer endlichen Menge, *Math. Z.*, 27 (1928), 544–548.

- [144] R. G. Stanton, Covering theorems in groups (or: How to win at football pools), *Recent Progress in Combinatorics (Proc. 3<sup>rd</sup> Waterloo Conf. Combinatorics, 1968)* (W. T. Tutte, ed.) Academic, New York (1969), 21–36.
- [145] R. G. Stanton, J. D. Horton and J. G. Kalbfleisch, Covering theorems for vectors with special reference to the case of four and five components, *J. London Math. Soc.*, 1 (1969), 493–499.
- [146] R. G. Stanton and J. G. Kalbfleisch, Covering problems for dichotomized matchings, *Aequationes Math.*, 1 (1968), 94–103.
- [147] R. G. Stanton and J. G. Kalbfleisch, Intersection inequalities for the covering problem, *SIAM J. Appl. Math.*, 17 (1969), 1311–1316.
- [148] B. Stevens, Transversal covers and packings, PhD thesis, *University of Toronto*, (1998), 148 pp.
- [149] O. Taussky and J. Todd, Covering theorems for groups, *Ann. Soc. Polon. Math.*, 21 (1948), 303–305.
- [150] W. D. Weakley, Optimal binary covering codes of length  $2^j$ , *J. Combin. Des.*, 14 (2006), 1–13.
- [151] E. W. Weber, On the football pool problem for 6 matches: A new upper bound, *J. Combin. Theory Ser. A* 35 (1983), 106–108.
- [152] G. J. M. van Wee, Improved sphere bounds on the covering radius of codes, *IEEE Trans. Inform. Theory*, 34 (1988), 237–245.
- [153] G. J. M. van Wee, Bounds on packings and coverings by spheres in  $q$ -ary and mixed Hamming spaces, *J. Combin. Theory Ser. A*, 57 (1991), 117–129.
- [154] G. J. M. van Wee, Some new lower bounds for binary and ternary covering codes, *IEEE Trans. Inform. Theory*, 39 (1993), 1422–1424.
- [155] L. T. Wille, The football pool problem for 6 matches: a new upper bound obtained by simulated annealing, *J. Combin. Theory Ser. A*, 45 (1987), 171–177.
- [156] L. T. Wille, Improved binary code coverings by simulated annealing, *Congr. Numer.*, 73 (1990), 53–58.
- [157] L. T. Wille, New binary covering codes obtained by simulated annealing, *IEEE Trans. Inform. Theory*, 42 (1996), 300–302.
- [158] S. K. Zaremba, A covering theorem for Abelian groups, *J. London Math. Soc.*, 26 (1951), 71–72.
- [159] S. K. Zaremba, Covering problems concerning Abelian groups, *J. London Math. Soc.*, 27 (1952), 242–246.

- [160] W. Zhang, S. Wang and X. Zhang, Improving embedding efficiency of covering codes for applications in steganography, *Communications Letters, IEEE*, 11 (2007), 680–682.
- [161] Z. Zhang, Linear inequalities for covering codes: Part I – Pair covering inequalities, *IEEE Trans. Inform. Theory*, 37 (1991), 573–582.
- [162] Z. Zhang and C. Lo, Linear inequalities for covering codes: Part II – Triple covering inequalities, *IEEE Trans. Inform. Theory*, 38 (1992), 1648–1662.